
TYLENOL®





Dosing for Infants and Children

From Your Healthcare Professional



IMPORTANT INSTRUCTIONS for Proper Use

Today's Date:

This dosing recommendation from your doctor will expire in 14 DAYS.

- Read and follow the label on all TYLENOL® products
- Take every 4 hours as needed. Do NOT exceed more than 5 doses in 24 hours
- Do NOT use with any other product containing acetaminophen
- Use only the dosing device that comes with a specific product
- All Infants' TYLENOL® and Children's TYLENOL® Oral Suspension products have the same acetaminophen concentration (160 mg/5 mL)



Kids' Wellness Tracker

Free, all-in-one tool from the makers of Children's TYLENOL® and Children's MOTRIN®. Makes it easy to track your child's height, weight, vaccines, symptoms, and medicines plus calculate dosing.



App Store is a service mark of Apple Inc. Standard download rates may apply

MOTRIN[®]





Dosing for Infants and Children

From Your Healthcare Professional

DOSE: Every 6-8 hours as needed. DO NOT GIVE MORE THAN 4 DOSES IN 24 HOURS.

If possible, use weight to dose; otherwise use age.

mL = milliliter tsp = teaspoonful



Infants' MOTRIN® **Concentrated Drops**

Active Ingredient: Ibuprofen 50 mg (NSAID)† (in each 1.25 mL)

†Nonsteroidal



Children's MOTRIN® **Oral Suspension**

Active Ingredient:

Ibuprofen 100 mg (NSAID)† (in each 5 mL or 1 tsp)

†Nonsteroidal



-	Original Berry
dye-	Dye-free
free	Berry

		Available in: dye- Dye-free Use only as directed. Available in: dye- Dye-free free Berry	anti-inflammatory drug Use only as directed. dye- Dye-free free Berry
WEIGHT	AGE	indicated. Tree Berry	Use only as directed. Tree Berry
6-11 lbs	0-5 mos	Do not use	
12-17 lbs	6-11 mos	1.25 mL	_
18-23 lbs	12-23 mos	1.875 mL	
24-35 lbs	2-3 yrs	_	5 mL (1 tsp)
36-47 lbs	4-5 yrs		7.5 mL (1½ tsp)
48-59 lbs	6-8 yrs	_	10 mL (2 tsp)
60-71 lbs	9-10 yrs		12.5 mL (2½ tsp)
72-95 lbs	11 yrs	_	15 mL (3 tsp)

IMPORTANT INSTRUCTIONS for Proper Use

Today's Date: _ This dosing recommendation from your doctor will expire in 14 DAYS.

- Read and follow the label on all MOTRIN® products
- Take every 6-8 hours as needed. Do NOT exceed more than 4 doses in 24 hours
- Do NOT administer longer than 10 days, unless directed by a doctor
- · Ask a doctor or pharmacist before use if the child is taking any other drug containing an NSAID† (prescription or non-prescription)
- MOTRIN® contains ibuprofen
- · Use only the dosing device that comes with a specific product

[†]Nonsteroidal anti-inflammatory drug



Kids' Wellness Tracker

Free, all-in-one tool from the makers of Children's TYLENOL® and Children's MOTRIN®. Makes it easy to track your child's height, weight, vaccines, symptoms, and medicines plus calculate dosing.



AppStore Download now at the App Store Management App Store is a service mark of Apple Inc. Standard download rates may apply